

## OHIC Aligned ACO Measure Set

Effective Date: Performance Period Starting on or after 1-1-18

Total Measures: 59

### Core Measures by Domain (10)

#### Behavioral Health (1)

- Follow-Up after Hospitalization for Mental Illness (7-day) - HEDIS
  - *Note: Use if the facility has an adequate payer-specific denominator size.*
- Follow-Up after Hospitalization for Mental Illness (7-day) – CMS (Hospital Compare)
  - *Note: Use only if the facility does not have an adequate payer-specific denominator size using the HEDIS measure.*

#### Chronic Illness (2)

- Comprehensive Diabetes Care: Hemoglobin A1c (HbA1c) Control (<8.0%)
- Controlling High Blood Pressure

#### Consumer Experience (1)

- At least one of the following patient experience surveys:
  - ACO CAHPS - *questions not specified*
  - CG-CAHPS - *questions not specified*
  - PCMH CAHPS – *questions not specified*

#### Preventive Care (6)

- Adult BMI Assessment
- Breast Cancer Screening
- Colorectal Cancer Screening
- Developmental Screening in the First Three Years of Life
- Tobacco Use: Screening and Cessation Intervention
- Weight Assessment and Counseling for Nutrition and Physical Activity for Children/Adolescents

### Menu Measures by Domain (49)

#### Behavioral Health (12)

- ~~30-day Psychiatric Inpatient Readmission~~
- Adherence to Antipsychotic Medications for Individuals with Schizophrenia – *Medicaid only*
- Adult Major Depressive Disorder (MDD): Coordination of Care with Specific Comorbid Conditions
- Adult Major Depressive Disorder (MDD): Suicide Risk Assessment
- ~~Antidepressant Medication Management~~
- Child and Adolescent Major Depressive Disorder (MDD): Suicide Risk Assessment
- **Concurrent Use of Opioids and Benzodiazepines**

Tentative new measure for 2018.

Measure moved from core to menu.

~~Measure removed for 2018.~~

Measure moved from menu to core.

- Depression Remission or Response for Adolescents and Adults
- Follow-Up Care for Children Prescribed ADHD Medication
- Initiation and Engagement of Alcohol and Other Drug Dependence Treatment
- Patient-Informed Feedback; On Track System
- **Screening for Clinical Depression and Follow-Up Plan**
- Unhealthy Alcohol and Drug Use Screening and Brief Counseling
- Utilization of PHQ-9 for Depression Symptoms for Adolescents and Adults

#### Care Coordination (2)

- **Medication Reconciliation Post-Discharge**
- Timely Transmission of Transition Record

#### Chronic Illness (4)

- ~~Comprehensive Diabetes Care: Blood Pressure Control (<140/90 mmHg)~~
- Comprehensive Diabetes Care: Eye Exam
- Comprehensive Diabetes Care: Hemoglobin A1c (HbA1c) Poor Control (>9.0%)
- Comprehensive Diabetes Care: Medical Attention for Nephropathy
- Medication Management for People with Asthma

#### Consumer Experience (1)

- HCAHPS - *questions not specified*

#### Institutional Care (17)

- American College of Surgeons - Centers for Disease Control and Prevention (ACS-CDC) Harmonized Procedure Specific Surgical Site Infection (SSI) Outcome Measure
  - HAI-3: SSI: Colon - Surgical Site Infection for Colon Surgery
  - HAI-4: SSI: Hysterectomy - Surgical Site Infection for Abdominal Hysterectomy
- Follow-Up After Emergency Department Visit for Alcohol or Other Drug Dependence
- Follow-Up After Emergency Department Visit for Mental Illness
- HAI-1: CLABSI: Central Line-Associated Blood Stream Infection
- HAI-2: CAUTI: Catheter-Associated Urinary Tract Infection
- HAI-5: Methicillin-resistant Staphylococcus Aureus (or MRSA) Blood Infections
- HAI-6: Clostridium Difficile (C.diff.) Infections
- PC-01: Elective Delivery Prior to 39 Completed Weeks Gestation
- PC-02: Cesarean Rate for Nulliparous Singleton Vertex
- PC-05: Exclusive Breast Milk Feeding
- READM-30-AMI: Heart Attack Readmission
- READM-30-HF: Heart Failure Readmission
- READM-30-HOSP-WIDE: Hospital-wide Readmission
- READM-30-PN: Pneumonia Readmission
- STK-4: Thrombolytic Therapy
- SUB-3: Alcohol & Other Drug Use Disorder Treatment Provided or Offered at Discharge and SUB-3a: Alcohol & Other Drug Use Disorder Treatment at Discharge
- Transition Record with Specified Elements Received by Discharged Patients

### Maternity (2)

- Behavioral Health Risk Assessment Screenings
- Maternal Depression Screening

### Overuse (4)

- PointRight Pro 3.0 30-Day All-Cause SNF Rehospitalization
- Plan (ACO) All-Cause Readmission
- Skilled Nursing Facility 30-Day All-Cause Readmission Measure (SNFRM)
- Use of Imaging Studies for Low Back Pain

### Preventive Care (7)

- Adolescent Well Care Visits
- Cervical Cancer Screening
- Childhood Immunization Status (Combo 10)
- Chlamydia Screening
- ~~Frequency of Ongoing Prenatal Care—Medicaid only~~
- Immunization Status for Adolescents (Combo 2)
- Lead Screening for Children
- Prenatal and Postpartum Care: Postpartum Care

### Utilization (0)

- ~~ED visits per 1000~~
- ~~Inpatient Visits/1000 (Inpatient Utilization—General Hospital/Acute Care)~~
- ~~Percentage of Prescriptions that are Generic Scripts~~

## OHIC Aligned Primary Care Measure Set

Effective Date: Performance Period Starting on or after 1-1-18

Total Measures: 30

### Core Measures by Domain (6)

#### Chronic Illness (2)

- Controlling High Blood Pressure
- Comprehensive Diabetes Care: Hemoglobin A1c (HbA1c) Control (<8.0%)

#### Preventive Care (4)

- Adult BMI Assessment
- Developmental Screening in the First Three Years of Life
- Tobacco Use: Screening and Cessation Intervention
- Weight Assessment and Counseling for Nutrition and Physical Activity for Children/Adolescents

### Menu Measures by Domain (24)

#### Behavioral Health (6)

- ~~30-day Psychiatric Inpatient Readmission~~
- ~~Antidepressant Medication Management~~
- Concurrent Use of Opioids and Benzodiazepines
- Depression Remission or Response for Adolescents and Adults
- ~~Follow-Up after Hospitalization for Mental Illness (7-day)~~
- Follow-Up Care for Children Prescribed ADHD Medication
- ~~Initiation and Engagement of Alcohol and Other Drug Dependence Treatment~~
- Screening for Clinical Depression and Follow-Up Plan
- Unhealthy Alcohol and Drug Use Screening and Brief Counseling
- Utilization of PHQ-9 for Depression Symptoms for Adolescents and Adults

#### Care Coordination (1)

- Medication Reconciliation Post-Discharge

#### Chronic Illness (4)

- ~~Comprehensive Diabetes Care: Blood Pressure Control (<140/90 mmHg)~~
- Comprehensive Diabetes Care: Eye Exam
- Comprehensive Diabetes Care: Hemoglobin A1c (HbA1c) Poor Control (>9.0%)
- Comprehensive Diabetes Care: Medical Attention for Nephropathy
- Medication Management for People with Asthma

#### Consumer Experience (1)

- PCMH CAHPS (for primary care) - *questions not specified*

Tentative new measure for 2018.

Measure moved from core to menu.

Measure removed for 2018.

Measure moved from menu to core.

### Overuse (1)

- ~~Plan (ACO) All-Cause Readmission~~
- Use of Imaging Studies for Low Back Pain

### Preventive Care (8)

- Adolescent Well-Care Visits
- Breast Cancer Screening
- Cervical Cancer Screening
- Childhood Immunization Status (Combo 10)
- Chlamydia Screening
- Colorectal Cancer Screening
- Immunization Status for Adolescents (Combo 2)
- Lead Screening for Children

### Maternity Care (1)

- Maternal Depression Screening

### Utilization (2)

- ED Visits per 1,000
- Inpatient Visits per 1,000 (Inpatient Utilization - General Hospital/ Acute Care)
- ~~Percentage of Prescriptions that are Generic Scripts~~

## OHIC Aligned Hospital Measure Set

Effective Date: Performance Period Starting on or after 1-1-18

Total Measures: 21

### Core Measures by Domain (8)

#### Behavioral Health (1)

- Follow-Up after Hospitalization for Mental Illness (7-day) - HEDIS
  - *Note: Use if the facility has an adequate payer-specific denominator size.*
- Follow-Up after Hospitalization for Mental Illness (7-day) - CMS (Hospital Compare)
  - *Note: Use only if the facility does not have an adequate payer-specific denominator size using the HEDIS measure.*

#### Consumer Experience (1)

- HCAHPS - questions not specified

#### Institutional Care (6)

- Follow-Up After Emergency Department Visit for Alcohol or Other Drug Dependence
- Follow-Up After Emergency Department Visit for Mental Illness
- HAI-1: CLABSI: Central Line-Associated Blood Stream Infection
- HAI-2: CAUTI: Catheter-Associated Urinary Tract Infection
- HAI-6: Clostridium Difficile (C.diff.) Infections
- READM-30-HOSP-WIDE: Hospital-wide Readmission

### Menu Measures by Domain (13)

#### Behavioral Health (1)

- 30-day Psychiatric Inpatient Readmission

#### Care Coordination (1)

- Timely Transmission of Transition Record

#### Institutional Care (11)

- American College of Surgeons - Centers for Disease Control and Prevention (ACS-CDC) Harmonized Procedure Specific Surgical Site Infection (SSI) Outcome Measure
  - HAI-3: SSI: Colon - Surgical Site Infection for Colon Surgery
  - HAI-4: SSI: Hysterectomy - Surgical Site Infection for Abdominal Hysterectomy
- HAI-5: Methicillin-resistant Staphylococcus Aureus (or MRSA) Blood Infections
- PC-01: Elective Delivery Prior to 39 Completed Weeks Gestation
- PC-02: Cesarean Rate for Nulliparous Singleton Vertex
- PC-05: Exclusive Breast Milk Feeding
- READM-30-AMI: Heart Attack Readmission
- READM-30-HF: Heart Failure Readmission
- READM-30-PN: Pneumonia Readmission

Tentative new measure for 2018.

Measure moved from core to menu.

Measure removed for 2018.

Measure moved from menu to core.

- STK-4: Thrombolytic Therapy
- SUB-3: Alcohol & Other Drug Use Disorder Treatment Provided or Offered at Discharge and SUB-3a: Alcohol & Other Drug Use Disorder Treatment at Discharge
- Transition Record with Specified Elements Received by Discharged Patients

## OHIC Aligned Maternity Care Measure Set

Effective Date: Performance Period Starting on or after 1-1-18

Total Measures: 9

### Core Measures by Domain (2)

#### Postpartum Care (2)

- Prenatal and Postpartum Care: Postpartum Care
- Prenatal and Postpartum Care: Timeliness of Prenatal Care

### Menu Measures by Domain (7)

#### Prenatal Care (1)

- ~~Frequency of Ongoing Prenatal Care~~
- Behavioral Health Risk Assessment Screenings

#### Labor and Delivery (2)

- Cesarean Section Delivery Rate
- Primary Cesarean Delivery Rate

#### Postpartum Care (4)

- Maternity Care: Post-Partum Follow-Up and Care Coordination
- Interpregnancy Interval (Contraceptive) Counseling
- Depression Screening
- Postpartum Testing of Gestational Diabetes Patients

Tentative new measure for 2018.

Measure moved from core to menu.

~~Measure removed for 2018.~~

Measure moved from menu to core.

**OHIC Aligned Behavioral Health Measure Set – Mental Health**  
**Effective Date: Performance Period Starting on or after 1-1-18**  
**Total Measures: 14**

**Core Measures for Health Plans by Domain (3)**

Screening (3)

- Adult Major Depressive Disorder (MDD): Suicide Risk Assessment
- Child and Adolescent Major Depressive Disorder: Suicide Risk Assessment (SRA)
- Unhealthy Alcohol and Drug Use Screening and Brief Counseling

**Menu Measures for Health Plans by Domain (11)**

Care Transitions, Coordination and Follow-Up (3)

- Adult Major Depressive Disorder (MDD): Coordination of Care of Patients with Specific Comorbid Conditions
- Follow-Up after Hospitalization for Mental Illness (7-day)
  - *Note: Use HEDIS version if the facility has an adequate payer-specific denominator size.*
  - *Note: Use CMS (Hospital Compare) version only if the facility does not have an adequate payer-specific denominator size using the HEDIS measure.*
- Follow-Up After Emergency Department Visit for Mental Illness

Outcomes (2)

- Depression Remission or Response for Adolescents and Adults
- Utilization of the PHQ-9 to Monitor Depression Symptoms for Adolescents and Adults

Physical Health Comorbidity (2)

- Diabetes Screening for People with Schizophrenia or Bipolar Disorder Who Are Using Antipsychotic Medications
- Metabolic Monitoring for Children and Adolescents on Antipsychotics

Medication Management (3)

- Adherence to Antipsychotic Medications for Individuals with Schizophrenia
- Antidepressant Medication Management
- Follow-Up Care for Children Prescribed ADHD Medication

Patient Experience (1)

- Patient-Informed Feedback: On Track System

**Menu Measures for BHDDH by Domain (0)**

Care Transitions, Coordination and Follow-Up (0)

- ~~Discharge for Non-Treatment Adherence~~

Tentative new measure for 2018.

Measure moved from core to menu.

Measure removed for 2018.

Measure moved from menu to core.

Physical Health Comorbidity (0)

- ~~Hospital 30-Day Readmissions All-Cause (Med, Surg, Behavioral Health)~~
- ~~Adult BMI Assessment~~
- ~~Annual Physical Exam or Well Visit with PCP~~

Utilization & Cost (0)

- ~~Admits per 1000 for MH and SUD acute inpatient~~

Patient Experience (0)

- ~~Patient Satisfaction Survey~~

Other (0)

- ~~Employment Rate~~

**OHIC Aligned Behavioral Health Measure Set – Substance Use Treatment**  
**Effective Date: Performance Period Starting on or after 1-1-18**  
**Total Measures: 3**

**Core Measures for Health Plans by Domain (1)**

Engagement (1)

- Initiation and Engagement of Alcohol and Other Drug Dependence Treatment

**Menu Measures for Health Plans by Domain (2)**

Care Transitions, Coordination and Follow-Up (1)

- Follow-Up After Emergency Department Visit for Alcohol and Other Drug Dependence

Medication Management (1)

- **Concurrent Use of Opioids and Benzodiazepines**

**Menu Measures for BHDDH by Domain (0)**

Care Transitions, Coordination and Follow-Up (0)

- ~~Discharge for Non-Treatment Adherence~~

Physical Health Comorbidity (0)

- ~~Hospital 30-Day Readmissions All-Cause (Med, Surg, Behavioral Health)~~
- ~~Adult BMI Assessment~~
- ~~Annual Physical Exam or Well-Visit with PCP~~

Utilization & Cost (0)

- ~~Admits per 1000 for MH and SUD acute inpatient~~

Patient Experience (0)

- ~~Patient Satisfaction Survey~~

Other (0)

- ~~Employment Rate~~