

OHIC Aligned Primary Care Measure Set

Effective Date: Performance Period Starting on or after 1-1-19

Total Measures (excluding Developmental): 29

Total Measures (including Developmental): 35

Core Measures by Domain (7)

Chronic Illness (2)

- Controlling High Blood Pressure
- Comprehensive Diabetes Care: Hemoglobin A1c (HbA1c) Control (<8.0%)

Preventive Care (5)

- Adult BMI Assessment
- [Colorectal Cancer Screening](#)
- Developmental Screening in the First Three Years of Life
- Tobacco Use: Screening and Cessation Intervention
- Weight Assessment and Counseling for Nutrition and Physical Activity for Children/Adolescents

Menu Measures by Domain (22)

Behavioral Health (4)

- Concurrent Use of Opioids and Benzodiazepines
- Follow-Up Care for Children Prescribed ADHD Medication
- Screening for Clinical Depression and Follow-Up Plan
- Unhealthy Alcohol and Drug Use Screening and Brief Counseling

Care Coordination (1)

- Medication Reconciliation Post-Discharge

Chronic Illness (4)

- Comprehensive Diabetes Care: Eye Exam
- Comprehensive Diabetes Care: Hemoglobin A1c (HbA1c) Poor Control (>9.0%)
- Comprehensive Diabetes Care: Medical Attention for Nephropathy
- Medication Management for People with Asthma

Consumer Experience (1)

- PCMH CAHPS (for primary care) - *questions not specified*

Overuse (1)

- Use of Imaging Studies for Low Back Pain

Preventive Care (8)

- Adolescent Well-Care Visits
- Breast Cancer Screening
- Cervical Cancer Screening

New measure for 2019.

~~Measure removed for 2019.~~

Measure moved from Core to Menu. Measure moved from Menu to Core.

Measure moved from Menu to Developmental

- Childhood Immunization Status (Combo 10)
- Chlamydia Screening
- Fluoride Varnish
- Immunization Status for Adolescents (Combo 2)
- Lead Screening for Children

Maternity Care (1)

- Maternal Depression Screening

Utilization (2)

- ED Visits per 1,000
- Inpatient Visits per 1,000 (Inpatient Utilization - General Hospital/ Acute Care)

Developmental Measures by Domain (6)

Behavioral Health (2)

- Depression Remission or Response for Adolescents and Adults
- Utilization of the PHQ-9 to Monitor Depression Symptoms for Adolescents and Adults

Chronic Illness (1)

- Statin Therapy for Patients with Cardiovascular Disease

Preventive Care (2)

- Depression Screening and Follow-Up for Adolescents and Adults
- Unhealthy Alcohol Use Screening and Follow-Up

Social Determinants of Health (1)

- Social Determinants of Health Screen

OHIC Aligned Maternity Care Measure Set
Effective Date: Performance Period Starting on or after 1-1-19
Total Measures (excluding Developmental): 9
Total Measures (including Developmental): 10

Core Measures by Domain (1)

Preventive Care (1)

- Prenatal & Postpartum Care - Postpartum Care Rate

Menu Measures by Domain (8)

Acute Care (2)

- Cesarean Section Delivery Rate
- Primary Cesarean Delivery Rate

Preventive Care (6)

- Behavioral Health Risk Assessment Screenings
- Depression Screening (Postpartum Care)
- Interpregnancy Interval (Contraceptive) Counseling
- Maternity Care: Post-Partum Follow-Up and Care Coordination
- Prenatal & Postpartum Care - Timeliness of Prenatal Care
- Postpartum Testing of Gestational Diabetes

Developmental Measures by Domain (1)

Social Determinants of Health (1)

- Social Determinants of Health Screen

New measure for 2019. ~~Measure removed for 2019.~~
Measure moved from Core to Menu. Measure moved from Menu to Core.
Measure moved from Menu to Developmental

OHIC Aligned Behavioral Health – Mental Health Measure Set

Effective Date: Performance Period Starting on or after 1-1-19

Total Measures (excluding Developmental): 11

Total Measures (including Developmental): 15

Core Measures by Domain (0)

Menu Measures by Domain (11)

Acute Care (1)

- Adult Major Depressive Disorder (MDD): Coordination of Care of Patients with Specific Comorbid Conditions

Chronic Illness Care (2)

- Diabetes Screening for People with Schizophrenia or Bipolar Disorder who Are Using Antipsychotic Medications
- Metabolic Monitoring for Children and Adolescents on Antipsychotics

Hospital (2)

- Follow-Up After Emergency Department Visit for Mental Illness
- Follow-Up After Hospitalization for Mental Illness (7-Day) (NCQA Version; ~~CMS Version~~)

Medication Management (3)

- Adherence to Antipsychotic Medications for Individuals with Schizophrenia
- Antidepressant Medication Management
- Follow-Up Care for Children Prescribed ADHD Medication
- ~~Patient Informed Feedback; On Track System~~

Prevention (3)

- Adult Major Depressive Disorder (MDD): Suicide Risk Assessment
- Child and Adolescent Major Depressive Disorder: Suicide Risk Assessment
- Unhealthy Drug and Alcohol Use: Screening & Brief Counseling

Developmental Measures by Domain (4)

Acute Care (2)

- Depression Remission or Response for Adolescents and Adults
- Utilization of the PHQ-9 to Monitor Depression Symptoms for Adolescents and Adults

Preventive Care (1)

- Unhealthy Alcohol Use Screening and Follow-Up

Social Determinants of Health (1)

- Social Determinants of Health Screen

New measure for 2019. ~~Measure removed for 2019.~~

Measure moved from Core to Menu. Measure moved from Menu to Core.

Measure moved from Menu to Developmental

OHIC Aligned Behavioral Health - Substance Use Treatment Measure Set

Effective Date: Performance Period Starting on or after 1-1-19

Total Measures (excluding Developmental): 3

Total Measures (including Developmental): 4

Core Measures by Domain (1)

Chronic Care Illness (1)

- Initiation and Engagement of Alcohol and Other Drug Abuse or Dependence Treatment

Menu Measures by Domain (2)

Behavioral Health (1)

- Concurrent Use of Opioids and Benzodiazepines

Hospital (1)

- Follow-Up After Emergency Department Visit for Alcohol and Other Drug Dependence

Developmental Measures by Domain (1)

Social Determinants of Health (1)

- Social Determinants of Health Screen

New measure for 2019.

~~Measure removed for 2019.~~

Measure moved from Core to Menu. Measure moved from Menu to Core.

Measure moved from Menu to Developmental

OHIC Aligned Hospital Measure Set

Tentative Effective Date: Performance Period Starting on or after 1-1-19

Total Measures (excluding Developmental): 21

Total Measures (including Developmental): 22

Core Measures by Domain (8)

Hospital (8)

- CAUTI: Cather-Associated Urinary Tract Infection (HAI-2)
- CLABSI: Central Line-Associated Blood Stream Infection (HAI-1)
- Clostridium Difficile (C.diff.) Infections (HAI-6)
- Follow-Up After Emergency Department Visit for Alcohol and Other Drug Dependence
- Follow-Up After Emergency Department Visit for Mental Illness
- Follow-Up After Hospitalization for Mental Illness (7-Day) (NCQA Version; ~~CMS Version~~)
- HCAHPS
- Hospital-wide Readmit (READM-30-HOSP-WIDE)

Menu Measures by Domain (13)

Hospital (12)

- Alcohol & Other Drug Use Disorder Treatment Provided or Offered at Discharge (SUB-3) and Alcohol & Other Drug Use Disorder Treatment at Discharge (SUB-3a)
- American College of Surgeons - Centers for Disease Control and Prevention (ACS-CDC) Harmonized Procedure Specific Surgical Site Infection (SSI) Outcome Measure - HAI-3: SSI: Colon - Surgical Site Infection for Colon Surgery and HAI-4: SSI: Hysterectomy - Surgical Site Infection for Abdominal Hysterectomy
- Cesarean Rate for Nulliparous Singleton Vertex (PC-02)
- Elective Delivery Prior to 39 Completed Weeks Gestation (PC-01)
- Exclusive Breast Milk Feeding (PC-05)
- Heart Attack Readmit (READM-30-AMI)
- Heart Failure Readmit (READM-30-HF)
- Methicillin-resistant Staphylococcus Aureus (or MRSA) Blood Infections (HAI-5)
- Pneumonia Readmit (READM-30-PN)
- Thrombolytic Therapy (STK-4)
- Timely Transmission of Transition Record
- Transition Record with Specified Elements Received by Discharged Patients

Population Health (1)

- 30-day Psychiatric Inpatient Readmission

Developmental Measures by Domain (1)

Social Determinants of Health (1)

- Social Determinants of Health Screen

New measure for 2019.

~~Measure removed for 2019.~~

Measure moved from Core to Menu. Measure moved from Menu to Core.

Measure moved from Menu to Developmental

OHIC Aligned ACO Measure Set

Effective Date: Performance Period Starting on or after 1-1-19

Total Measures (excluding Developmental): 57

Total Measures (including Developmental): 63

Core Measures by Domain (10)

Chronic Care Illness (2)

- Comprehensive Diabetes Care: HbA1c Control (<8.0%)
- Controlling High Blood Pressure

Consumer Experience (1)

- CAHPS (Option 1: Survey for Accountable Care Organizations (ACOs) Participating in Medicare Initiatives; Option 2: Clinician/Group Surveys (Adult Primary Care, Pediatric Care, and Specialist Care Surveys; Option 3: PCMH CAHPS Survey (for primary care - questions not specified)

Hospital (1)

- Follow-Up After Hospitalization for Mental Illness (7-Day) (NCQA Version; ~~CMS Version~~)

Preventive Care (6)

- Adult BMI Assessment
- Breast Cancer Screening
- Colorectal Cancer Screening
- Developmental Screening in the First Three Years of Life
- Tobacco Use: Screening and Cessation Intervention
- Weight Assessment and Counseling for Nutrition and Physical Activity for Children/Adolescents

Menu Measures by Domain (47)

Acute Care (1)

- Adult Major Depressive Disorder (MDD): Coordination of Care of Patients with Specific Comorbid Conditions

Behavioral Health (1)

- Concurrent Use of Opioids and Benzodiazepines

Chronic Illness (4)

- Initiation and Engagement of Alcohol and Other Drug Abuse or Dependence Treatment
- Comprehensive Diabetes Care: Eye Exam
- Comprehensive Diabetes Care: HbA1c Poor Control (>9.0%)
- Comprehensive Diabetes Care: Medical Attention for Nephropathy

Hospital (20)

New measure for 2019.

~~Measure removed for 2019.~~

Measure moved from Core to Menu. Measure moved from Menu to Core.

Measure moved from Menu to Developmental

- Alcohol & Other Drug Use Disorder Treatment Provided or Offered at Discharge (SUB-3) and Alcohol & Other Drug Use Disorder Treatment at Discharge (SUB-3a)
- American College of Surgeons – Centers for Disease Control and Prevention (ACS-CDC) Harmonized Procedure Specific Surgical Site Infection (SSI) Outcome Measure - HAI-3: SSI: Colon - Surgical Site Infection for Colon Surgery and HAI-4: SSI: Hysterectomy - Surgical Site Infection for Abdominal Hysterectomy
- CAUTI: Cather-Associated Urinary Tract Infection (HAI-2)
- Cesarean Rate for Nulliparous Singleton Vertex (PC-02)
- CLABSI: Central Line-Associated Blood Stream Infection (HAI-1)
- Clostridium Difficile (C.diff.) Infections (HAI-6)
- Elective Delivery Prior to 39 Completed Weeks Gestation (PC-01)
- Exclusive Breast Milk Feeding (PC-05)
- Follow-Up After Emergency Department Visit for Alcohol and Other Drug Dependence
- Follow-Up After Emergency Department Visit for Mental Illness
- HCAHPS
- Heart Attack Readmit (READM-30-AMI)
- Heart Failure Readmit (READM-30-HF)
- Hospital-wide Readmit (READM-30-HOSP-WIDE)
- Methicillin-resistant Staphylococcus Aureus (or MRSA) Blood Infections (HAI-5)
- Plan (ACO) All-Cause Readmission
- Pneumonia Readmit (READM-30-PN)
- Timely Transmission of Transition Record
- Thrombolytic Therapy (STK-4)
- Transition Record with Specified Elements Received by Discharged Patients

Medication Management (4)

- Adherence to Antipsychotic Medications for Individuals with Schizophrenia (Medicaid Only)
- Follow-Up Care for Children Prescribed ADHD Medication
- Medication Management for People with Asthma
- Medication Reconciliation Post-Discharge
- ~~Patient Informed Feedback; On Track System~~

Overuse (1)

- Use of Imaging Studies for Low Back Pain

Post-Acute/Long-Term Care (2)

- PointRight Pro 30 Rehospitalization
- Skilled Nursing Facility 30-Day All-Cause Readmission Measure (SNFRM)

Preventive Care (14)

- Adolescent Well-Care Visit
- Adult Major Depressive Disorder (MDD): Suicide Risk Assessment
- Behavioral Health Risk Assessment Screenings
- Cervical Cancer Screening

New measure for 2019. ~~Measure removed for 2019.~~

Measure moved from Core to Menu. ~~Measure moved from Menu to Core.~~

Measure moved from Menu to Developmental

- Child and Adolescent Major Depressive Disorder: Suicide Risk Assessment
- Childhood Immunization Status (Combo 10)
- Chlamydia Screening
- Fluoride Varnish
- Immunizations for Adolescents (Combo 2)
- Lead Screening in Children
- Maternal Depression Screening
- Prenatal & Postpartum Care - Postpartum Care Rate
- Screening for Clinical Depression and Follow-Up Plan
- Unhealthy Drug and Alcohol Use: Screening & Brief Counseling

Developmental Measures by Domain (6)

Behavioral Health (2)

- Depression Remission or Response for Adolescents and Adults
- Utilization of the PHQ-9 to Monitor Depression Symptoms for Adolescents and Adults

Chronic Illness (1)

- Statin Therapy for Patients with Cardiovascular Disease

Preventive Care (2)

- Depression Screening and Follow-Up for Adolescents and Adults
- Unhealthy Alcohol Use Screening and Follow-Up

Social Determinants of Health (1)

- Social Determinants of Health Screen